Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 12.04.2019

JEr

Revision: 26.11.2018

1 Identification of the substance/mixture and of the company/undertaking Product identifier Trade name: Astringedent[™] Spot Remover Article number: 10326 Index number: SDS 79-001.07 Relevant identified uses of the substance or mixture and uses advised against Spot & Stain Remover Application of the substance / the mixture Spot & Stain Remover Details of the supplier of the safety data sheet Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDe@ultradent.com Emergency Phone: +49(0)2203-35-92-0

· Further information obtainable from: Customer Service

• Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Label elements

• Labelling according to Regulation (EC) No 1272/2008 Void • Hazard pictograms



· Signal word Danger

(Contd. on page 2)

⁻ GB2

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

	(Contd. of page 1)
Hazard-dete	ermining components of labelling:
Phosphoric	
Hazard stat	
H331 Toxic	if inhaled.
	s severe skin burns and eye damage.
Precautiona	iry statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
$D_{205} \pm D_{251}$	shower. +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
1 303+1 331	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Other hazar	
Results of P	BT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• Information for doctor:

• *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

<40%

GB2

Printing date 12.04.2019

Revision: 26.11.2018

(Contd. of page 2)

Trade name: Astringedent[™] Spot Remover

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters:
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation. • **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- See product labelling.
- Keep container tightly sealed.
- Specific end use(s) Spot & Stain Remover

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB2

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

(Contd. of page 3)
· Control parameters
· Ingredients with limit values that require monitoring at the workplace:
7664-38-2 Phosphoric Acid
WEL (Great Britain) Short-term value: 2 mg/m ³
Long-term value: 1 mg/m ³
• Additional information: The lists valid during the making were used as basis.
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands: Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:
• Body protection: Protective work clothing
9 Physical and chemical properties

· Information on basic physical and chemical properties

Liquid

Colourless Acidic

Not determined.

- · General Information
- · Appearance: Form:
- Colour:
- · Odour:
- Odour threshold:

(Contd. on page 5)

GB2 ·

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

		(Contd. of page
pH-value at 20 °C:	<1	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. :: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C: Relative density Vapour density Evaporation rate	1.17 g/cm ³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Partly soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Water: VOC (EC)	<80 % 0.00 %	
Other information	Brix 19.0 - 21.0	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Toxic if inhaled.

(Contd. on page 6)

GB2

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

		(Contd. of	f page 5)
$\cdot LD/LC50$	values rele	want for classification:	
ATE (Acu	te Toxicity	Estimates)	
Oral	LD50	4,952 mg/kg (rat)	
Inhalative	LC50/4 h	1.37 mg/l (rabbit)	
7664-38-2	Phosphor	ic Acid	
Oral	LD50	1,530 mg/kg (rat)	
Dermal	LD50	2,740 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.42225 mg/l (rabbit)	
· Primary ir	ritant effe	ct:	
· Skin corro			
Causes sev	vere skin bi	urns and eye damage.	

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

(Contd. of page 6)

· European waste catalogue

HP 6 Acute Toxicity

HP 8 Corrosive

• *Uncleaned packaging:* • *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
ADR, IMDG, IATA	UN1805
UN proper shipping name	
ADR	1805 PHOSPHORIC ACID, SOLUTION
IMDG, IATA	PHOSPHORIC ACID, SOLUTION
Transport hazard class(es)	
ADR, IMDG, IATA	
8	
Class	8 Corrosive substances.
Label	8
Packing group	
ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F- A , S - B
Segregation groups	Acids
Stowage Category	A
Transport in bulk according to Annex II	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
_	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

Printing date 12.04.2019

Revision: 26.11.2018

Trade name: Astringedent[™] Spot Remover

(Contd. of page 7)

• UN "Model Regulation":

UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Seveso category H2 ACUTE TOXIC
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- *Chemical safety assessment:* This product is an acid and as such is toxic. This product is not for near patient use. Use only as directed

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H330 Fatal if inhaled.

- · Department issuing SDS: Regulatory Affairs
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative
- Met. Corr.1: Corrosive to metals Category 1
- Acute Tox. 4: Acute toxicity Category 4
- Acute Tox. 1: Acute toxicity Category 1
- Acute Tox. 3: Acute toxicity Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B