

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EcositeBulkFill**

Revision date: 14.04.2016

Product code: 2011

Page 1 of 5

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

EcositeBulkFill

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause respiratory irritation.

Causes serious eye damage.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

**2.2. Label elements****Regulation (EC) No. 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H335	May cause respiratory irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

**Precautionary statements**

P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EcositeBulkFill**

Revision date: 14.04.2016

Product code: 2011

Page 2 of 5

**Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
41637-38-1	Dimethacrylate Resin			5 - 45 %
1565-94-2	Bis-GMA			15 - 25 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. Change contaminated clothing.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Call a physician immediately. Do NOT induce vomiting.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO<sub>2</sub>).**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**CO<sub>x</sub>, NO<sub>x</sub>**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Take up mechanically. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**SECTION 7: Handling and storage**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EcositeBulkFill**

Revision date: 14.04.2016

Product code: 2011

Page 3 of 5

**7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**Keep container tightly closed in a cool, well-ventilated place.  
Store only in original container.**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation of the storage area.

**Protective and hygiene measures**

When using do not eat or drink.

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Paste	
Colour:	yellow	
Odour:	like: ester	
pH-Value (at 20 °C):		not applicable

**Changes in the physical state**

Initial boiling point and boiling range:		> 200 °C
point of decomposition:		not determined
Flash point:		> 100 °C
Density:		1,8 g/cm <sup>3</sup>
Vapour density: (at 20 °C)		> 1

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

Light. heat.

**10.5. Incompatible materials**

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EcositeBulkFill**

Revision date: 14.04.2016

Product code: 2011

Page 4 of 5

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

**Further information**

Substances sensitive to light.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

LD50: Rat 2.000 mg/kg

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1565-94-2	Bis-GMA					
	oral	LD50 5000 mg/kg	Rat	literature value		

**Irritation and corrosivity**

Irritant effect on the eye: Frequently or prolonged contact with skin may cause dermal irritation.

**Sensitising effects**

May cause sensitization by skin contact.

**Specific effects in experiment on an animal**

Frequently or prolonged contact with skin may cause dermal irritation.

**Additional information on tests**

Contains Methacrylic esters.: May produce an allergic reaction.

**SECTION 12: Ecological information****12.1. Toxicity**

Acute fish toxicity LC50: OECD 203 / 96h: &gt;10 mg/l

**12.2. Persistence and degradability**

Preparation not tested.

**Further information**

Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

**Waste disposal number of waste from residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**SECTION 14: Transport information****Other applicable information**

No dangerous good in sense of these transport regulations.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EcositeBulkFill**

Revision date: 14.04.2016

Product code: 2011

Page 5 of 5

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Further Information**

-

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*